




This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
		REDRAWN FROM ORIGINAL TATTERED DRAWING.	6/20/2012	JAG	
A		ADDED NOTE.	10/29/2012	RJC	SE
1		-1 CH'D HOLE SIZE WAS Ø.213 IS Ø.219	4/24/2013	CFS	GE
2	15-0300	-1, -4, -5 CH'D MATERIAL CALL OUT WAS 1018 IS 1020.	9/14/2015	RJC	JAG






NOTE:  
ASSEMBLY REQUIRES LOCTITE 262 ON (-2). TIGHTEN FULLY THEN BACK OFF UNTIL (-1) CAN PIVOT FREELY.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	YOKE	1018/1020		2
		B/O	-2	1	SOCKET HEAD CAP SCREW	STEEL	10-32 UNF X 7/8 (MCMASTER-CARR #91251A346)	1
		B/O	-3	1	WASHER	STEEL	AN960-10	1
			-4	1	BRIDGE	1018/1020		3
			-5	1	SHAFT	1018/1020		4
			-6	1	HANDLE	01		5

<b>DART</b> AEROSPACE	
TITLE <b>PULLER-LUBE OIL FILTER CAP</b>	
DWG NO. <b>RB6798860</b>	REV <b>2</b>
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: <b>GILBERT</b> APPROVED: <i>D Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL <b>ROLLS ROYCE 250</b>
SCALE <b>1:3</b>	DATE <b>6/20/2012</b>
SHEET 1 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-1 CH'D HOLE SIZE WAS Ø.213 IS Ø.219	4/24/2013	CFS	GE
2	15-0300	-1 CH'D MATERIAL CALL OUT WAS 1018 IS 1020.	9/14/2015	RJC	JAG



SECTION A-A




(-1)

YOKE

<b>DART</b> AEROSPACE	
TITLE <b>PULLER-LUBE OIL FILTER CAP</b>	
DWG NO. <b>RB6798860-1</b>	REV <b>2</b>
MAT'L 1018/1020	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	ROLLS ROYCE 250
SCALE 1:1	DATE 6/20/2012
SHEET 2 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	15-0300	-4 CH'D MATERIAL CALLOUT WAS 1018 IS 1018/1020.	9/14/2015	RJC	JAG





(-4)

BRIDGE

<b>DART</b> AEROSPACE	
TITLE <b>PULLER-LUBE OIL FILTER CAP</b>	
DWG NO. <b>RB6798860-4</b>	REV <b>2</b>
MAT'L 1018/1020	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	ROLLS ROYCE 250
SCALE 1:2	DATE 6/20/2012
SHEET 3 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2		-5 CH'D MATERIAL CALL OUT WAS 1018 IS 1020.	9/14/2015	RJC	JAG





(-5)  
SHAFT

<b>DART</b> AEROSPACE	
TITLE <b>PULLER-LUBE OIL FILTER CAP</b>	
DWG NO. <b>RB6798860-5</b>	REV <b>2</b>
MAT'L 1018/1020	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	ROLLS ROYCE 250
SCALE 1:1	DATE 6/20/2012
SHEET 4 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



(-6)  
HANDLE

<b>DART</b> AEROSPACE	
TITLE PULLER-LUBE OIL FILTER CAP	
DWG NO. RB6798860-6	REV 2
MAT'L 01	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH CAD PLATE YELLOW
ANGLES ± .5°	SPEC QQ-P-416, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	ROLLS ROYCE 250
SCALE 1:1	DATE 6/20/2012
SHEET 5 OF 5	